



STATE OF WEST VIRGINIA
DEPARTMENT OF COMMERCE, LABOR AND ENVIRONMENTAL RESOURCES
WASTE MANAGEMENT SECTION

1356 Hansford Street
Charleston, West Virginia 25301
Telephone (304)348-5929

June 13, 1991

GASTON CAPERTON
Governor

J. EDWARD HAMRICK III
Director

ANN A. SPANER
Deputy Director

Bill Haynes, Terminal Manager
Pennzoil Products
1015 Barlow Drive
Charleston, West Virginia 25333

Dear Mr. Haynes:

Enclosed is a copy of the **Compliance Evaluation Inspection (CEI) Report** completed on your facility by a representative of the Chief of the Waste Management Section. This report is based on the inspection conducted on May 29, 1991.

There were no areas of non-compliance with the appropriate Hazardous Waste Management Regulations documented during this inspection.

Thank you for your assistance and cooperation during this inspection. If you have any questions concerning the inspection or attached report, please feel free to contact this office at (304) 348-5989.

Sincerely,

A handwritten signature in cursive script, appearing to read "H. Michael Dorsey".

H. Michael Dorsey, Assistant Chief
Compliance Monitoring/Enforcement

HMD/kw

Enclosure

cc: Janemarie Newton, U.S. EPA, Region III
P. L. Brown, Inspector
File

FY 1990 HAZARDOUS WASTE COMPLIANCE MONITORING AND ENFORCEMENT LOG

EPA ID: WV10151517131714151

4. Data Entry

HANDLER NAME: Pennzoil Products

New

ADDRESS: 1015 Barlow Drive, Charleston, WV 25333

Update

DATE OF INITIAL EVALUATION WHICH IS THE BASIS FOR THIS REPORT:

5/29/91

5a. AGENCY RESPONSIBLE FOR EVALUATION:
Put code in box

S

E = EPA
S = State
C = Contractor/EPA
O = Other
B = Contractor/State
X = Oversight

6. TYPE OF EVALUATION COVERED BY THIS REPORT:

SELECT EVALUATION Type and insert in box:

1

1 = Compliance Eval. Inspection (CEI) 4 = Comp GWM Eval (CME)
2 = Sampling Inspection 5 = Compliance Sched. Eval
3 = Record Review 11 = Case Dev. Inspection
12 = O&M Inspection

7. DATE OF EVALUATION COVERED BY THIS REPORT (enter only if different from 5): 1/1/

8a. Eval. Comments: No violations

9. CLASS and VIOLATIONS

Key

Class of Violation	Acceptable Codes							
	GWM	C/PC	Fin.Res	Pt. B	Cmpl.Sch	Manifest	Land-Ban	Other
I						<u>O</u>	<u>O</u>	<u>O</u>
II						<u>O</u>	<u>O</u>	<u>O</u>
	X	X	X	X	X	X	X	X
	S	S	S	S	S	S	S	S
	Z	Z	Z	Z	Z	Z	Z	Z
	O	O	O	O	O	O	O	O
	H	H	I*	H	C	H	H	H
			B*		B			
			H		H			

X=Violations, no Specialties
B=Violations & Specialty
S=Same Viol./Specialty
Z=Pending Determination
O=No Viol or Specialty found

I = No insurance only
C = CA Schedule Violation
H = HPV
* = Class I only

9a. Viol Comment: No violations

10. ENFORCEMENT ACTIONS:

Class	Area of Viol./rel.	Type (use code)	Date Action Taken	Compliance Dates		Penalty		Resp. Agency (use code)
				Scheduled	Actual	Assessed	Collected	

Codes for Types of Enforcement Actions: 03 = Warning Letter, 04 = Admin. Complaint, 05 = Final Admin. Order, 10 = Informal, 11 = Filed Civil Action, 12 = Filed Criminal Action, 18 = Civil Referral to AG/DOJ, 19 = Final Judicial Order, 15 = CA Init. Admin Order, 16 = CA Final Admin Order, 21 = Notice of Non-Comp, 22 = FFCA, 23 = Fed. Fac. Referral to HQ

Resp Agency Codes: E = EPA, S = State, X = EPA Oversight

10. Enforc. Comment: _____

INSPECTION FACT SHEET

COMPANY NAME: Pennzoil Products

I. D. #: WVD055573745

MAILING ADDRESS: 1015 Barlow Drive
Charleston, WV 25333

TYPE OF FACILITY: Generator

LOCATION: Same

COUNTY: Kanawha

COMPANY CONTACT: Bill Haynes
Terminal Manager

HANDLING CODES:

PHONE: 304/346-5222

PURPOSE: Compliance Evaluation Inspection

APPLICABLE REGULATIONS: West Virginia Hazardous Waste Management Act,
Chapter 20-5E; and 40 CFR, Parts 260-266.

LIST OF CHEMICALS:

(For Small Quantity Generators, list amount of waste, how it is handled; where it goes)

D001 - Tank bottoms and oil/water separator sludge
The facility has not generated any hazardous waste so far
in 1991.

DATE INSPECTED: May 29, 1991

_____ VIOLATIONS

INSPECTORS: (1) Chris Gatens
(2) Tom Fisher
(3)

x NO VIOLATIONS

DATE PREPARED: May 30, 1991

PREPARED BY: Chris Gatens

COMPLIANCE EVALUATION INSPECTION

RE: Pennzoil Products
1015 Barlow Drive, Charleston, West Virginia 25333
EPA Identification Number: WVD055573745

DATE INSPECTED: May 29, 1991

INSPECTED BY: Chris Gatens, WV DNR/WMS
Tom Fisher, WV DNR/WMS

PREPARED BY: Chris Gatens

On this date, Unit Leader Tom Fisher and I conducted a Compliance Evaluation Inspection of Pennzoil Products in Charleston, West Virginia. Upon arrival for this inspection at 2:11 P.M. we met with Terminal Manager, Bill Haynes. Mr. Haynes was advised of our authority and the reason for the inspection.

Pennzoil Products on Barlow Drive is a bulk storage facility for Pennzoil petroleum products. The facility has several large capacity storage tanks for gasoline and diesel. The company does have an EPA identification number as a hazardous waste generator, but does not generate waste on a monthly basis or every year. Hazardous wastes generated at the facility consists of gasoline storage tank bottoms and oil/water separator sludge that are classified as D001 characteristic ignitables. Petroleum, Inc. of Carnegie, Pennsylvania is contracted to handle and transport the waste when it is generated. The facility when it is generated any hazardous waste so far in 1991.

An inspection of the facility was conducted. No drums of hazardous waste were present at the loading rack area or in the storage building. According to Mr. Haynes, the facility plans to refurbish the bottoms of Tanks #398 and #402. Both tanks store gasoline and the hazardous waste generation from the work is expected to be around 3500 gallons. In

October, 1990 the facility installed an 8000 gallon capacity oil/water separator to collect product spillage from the loading rack area. The unit will probably be cleaned out about every 5-6 years.

We met in the office to discuss compliance with the hazardous waste management regulations, concerning D001 ignitable hazardous waste generation and transportation. After a brief discussion, we thanked Mr. Haynes for his cooperation and departed the facility.

COMPLIANCE EVALUATION

No items of non-compliance noted during this inspection.